
JUICE EXTRACTORS





JUICE EXTRACTORS

 $oldsymbol{arTheta}$ innovation



AUTOMATIC FEED TUBE

- With the exclusive automatic feed system, fruit and vegetables are processed effortlessly.

- Fast: 25 cl in just 6 seconds.



INDUCTION MOTOR

Easy Guide

Anti-splash spouts in 2 different sizes*:

- Jua / Blender bowl
- Served by the glass





NEW

DRIP TRAY*

Large capacity so the worktop is always clean.



NEW

INCLINED BASE*

For optimum evacuation of juice.

MOTOR

- Quiet so it can be used right in front of the customer.
- 1000 W designed for intensive use throughout the day**



Two ways of using the juicer:



Pulp ejected into a container. Large capacity

translucent pulp collector.

Continuous pulp ejection**. Pulp ejection chute: continuous pulp ejection directly into a bin under the worktop.

Pulp is ejected under the worktop**

BASKET

easy to clean.

Two handles for a better grip, can

be removed without tools and is



OUR USERS



BARS, RESTAURANTS AND HEALTHCARE FACILITIES

Fresh fruit and vegetable juices are a way of adding a touch of freshness to bar and restaurant menus. They are also highly appreciated in hospitals and retirement homes to prevent residents from being dehydrated.



HOTELS, CANTEENS AND CAFETERIAS

Quiet and easy to operate, Robot-Coupe Juice Extractors provide self-service in hotel breakfast bars and school canteens.



JUICE BARS AND SUPERMARKETS

Especially designed for intensive use, our Juice Extractor range is perfect for the production of large quantities.



Rapid return on investment:

- On average the sale of 500 glasses of juice will write off the cost of a J 100 Juice Extractor.
- Most efficient Juice Extractor on the market for the most frequently used ingredients.

JUICE EXTRACTORS





J 80

Motor Induction Power 700 W Voltage Single phase 120 L/hr Flow rate Bowl Stainless steel Feed Hopper ✓ - Automatic Ø 79 mm Filter Stainless steel Grating disc Stainless steel Useful height under spout 155 mm TYPE OF SERVICE: Glass Jug Blender bowl No-splash spout √ - 1 size Inclined base Drip catcher tray Automatic pulp ejection 6.5 L Translucent pulp collector Continuous pulp ejection chute

J 80 Buffet

Landon Allana	
Induction	
700 W	
Single phase	
120 L/hr	
Stainless steel	
✓ - Automatic Ø 79 mr	n
Stainless steel	
Stainless steel	
177 mm	
✓	
✓	
-	
√ - 2 sizes	
✓	
✓ - Large capacity	
√gp,	
6.5 L	

Choose your model:



J 80	Ref.	
J 80 230V/50/1	56000B	
J 80 230V/50/1 UK plug	56001B	
J 80 220V/60/1 DK	56007B	
J 80 220V/60/1	56004B	
J 80 120V/60/1	56005B	

J 80 Buffet	Ref.
J 80 Buffet 230V/50/1	56200B
J 80 Buffet 230V/50/1 UK plug	56201B
J 80 Buffet 220V/60/1 DK	56207B
J 80 Buffet 220V/60/1	56204B
J 80 Buffet 120V/60/1	56205B

J 80 all models

Choose your options:

Option	Ref.	
Inclined base assembly	49230	





8.6.1		
Motor		Induction
Power		1 000 W
Voltage		Single phase
Flow rate		160 L/hr
Bowl		Stainless steel
Chute		√ - Automatic Ø 79 mm
Filter		Stainless steel
Grating disc		Stainless steel - For intensive use
Useful height under	spout	251 mm
TYPE OF SERVICE:	Glass	✓
	Jug	✓
	Blender bowl	✓
No-splash spout		√ - 2 sizes
Inclined base		✓
Drip catcher tray		√ - Large capacity
Automatic pulp ejec	tion	✓
Translucent pulp co	llector	7.2 L
Continuous pulp eje	ction chute	✓





J 100	Ref.
J 100 230V/50/1	56100B
J 100 230V/50/1 UK plug	56101B
J 100 220V/60/1 DK	56107B
J 100 220V/60/1	56104B
J 100 120V/60/1	56105B

Choose your options:

	3 100	
Option	Ref.	
Inclined base assembly	49230	







JUICE AND COULIS EXTRACTOR

- Juicing of high-pulp fruit and vegetables.
- Extraction of small amounts of cooked or soft fruit and vegetable coulis.
- Keeps beneficial skin, seeds and fibre.



C 40

Motor	Induction
Power	500 W
Voltage	230 V single-phase
Speed	1 500 rpm
Flow rate	12 L/hr
Bowl	Composite material

Choose your model:

C 40	Ref.
C 40 230V/50/1	55040
C 40 230V/50/1 UK plug	55041
C 40 220V/60/1	55044
C 40 120V/60/1	55045





Lemon juice for beverages,



